

IN THE CLAIMS:

Please cancel claims 1-2 without prejudice.

Claim 1. (Canceled.

Claim 2. (Canceled)

Claim 3. (Canceled)

Claim 4. (Canceled )

Claim 5. (Canceled)

Claim 6. (Canceled)

Claim 7. (Canceled)

Claim 8. (Previously presented)      Claim 1. A peelable coating composition, comprising:  
an aqueous polyurethane dispersion resin having an average molecular weight of between 50,000 and 5,000,000 containing at least 40 percent by weight solids contents in an effective amount of from 60 to 95 percent by weight based on the total weight percent of the composition;  
a release agent comprising a siloxane in an effective amount of up to 10 percent by weight based on the total weight percent of the composition;  
a surfactant profoamer comprising a polydimethylsiloxane in an effective amount of from between 0.1 to 10 percent by weight based on the total weight percent of the composition;  
a polyglycol in an effective amount of from between 0.1 and 20 percent by weight based on the total weight of the composition; and  
a thickening agent in an amount of up to 5.0 percent by weight based on the total weight of the composition.

Claim 9 (Previously presented) The peelable coating composition of claim 8, wherein said siloxane is a copolymer.

Claim 10. (Previously presented) The peelable coating composition of claim 8, wherein said siloxane is a polydimethyl-polyether-siloxane block copolymer.

Claim 11. (Previously presented) The peelable coating composition of claim 8, wherein said release agent is present in an amount of from 0.01 to 10.0 percent by weight based on the total weight of the composition.

Claim 12. (Previously presented) The peelable coating composition of claim 8, wherein said polyglycol comprises a polypropylene glycol.

Claim 13. (Previously presented) The peelable coating composition of claim 8, wherein said thickening agent is present in an amount of from between 0.01 to 5.0 weigh percent based on the total weight of the composition.

Claim 14. (Previously presented) The peelable coating composition of claim 8, wherein said thickening agent is a polyacrylic polymer.

Claim 15. (Previously presented) The peelable coating composition of claim 8, wherein said thickening agent is a sodium polyacrylic polymer.

Claim 16. (Previously presented) A peelable coating composition, comprising:  
an aqueous polyurethane dispersion resin having an average molecular weight of between 50,000 and 5,000,000 containing at least 40 percent by weight solids contents in an effective amount of from 60 to 95 percent by weight based on the total weight percent of the composition;  
a release agent consisting essentially of a siloxane in an effective amount of from 0.1 to 10 percent by weight based on the total weight percent of the composition;  
a surfactant profoamer consisting essentially of a polydimethylsiloxane in an effective amount of from between 0.1 to 10 percent by weight based on the total weight percent of the composition;

a polyglycol in an effective amount of from between 0.1 and 20 percent by weight based on the total weight of the composition; and

a thickening agent in an amount of up to 0.01 to 5.0 percent by weight based on the total weight of the composition.

Claim 17. (Previously presented) The peelable coating composition of claim 16, wherein said siloxane is a copolymer.

Claim 18. (Previously presented) The peelable coating composition of claim 16, wherein said siloxane is a polydimethyl-polyether-siloxane block copolymer.

Claim 19. (Previously presented) The peelable coating composition of claim 16, wherein said polyglycol comprises a polypropylene glycol.

Claim 20. (Previously presented) The peelable coating composition of claim 16, wherein said thickening agent is a polyacrylic polymer.

Claim 21. (Previously presented) The peelable coating composition of claim 16, wherein said thickening agent is a sodium polyacrylic polymer.

Please add the following new claims 22 -48:

– Claim 22. (New) The peelable coating composition of claim 8, including a fragrance in an amount of from between 0.01 to 5.0 percent by weight based on the total weight of the composition.--

–Claim 23. (New) A peelable coating composition, comprising:  
an aqueous polyurethane dispersion resin having an average molecular weight of between 50,000 and 5,000,000 containing at least 40 percent by weight solids contents in an effective amount

of from 60 to 95 percent by weight based on the total weight percent of the composition;

a release agent comprising a siloxane in an effective amount of up to 10 percent by weight based on the total weight percent of the composition;

a surfactant profoamer comprising a polydimethylsiloxane in an effective amount of from between 0.1 to 10 percent by weight based on the total weight percent of the composition;

a humitant in an effective amount of from between 0.1 and 20 percent by weight based on the total weight of the composition; and

a thickening agent in an amount of up to 5.0 percent by weight based on the total weight of the composition.--

--Claim 24 (new) The peelable coating composition of claim 23, wherein said siloxane is a copolymer.

--Claim 25. (New) The peelable coating composition of claim 23, wherein said siloxane is a polydimethyl-polyether-siloxane block copolymer.--

--Claim 26. (new) The peelable coating composition of claim 23, wherein said release agent is present in an amount of from 0.01 to 10.0 percent by weight based on the total weight of the composition.--

--Claim 27. (New) The peelable coating composition of claim 23, wherein said thickening agent is present in an amount of from between 0.01 to 5.0 weigh percent based on the total weight of the composition.--

--Claim 28. (new) The peelable coating composition of claim 23, wherein said thickening agent is a polyacrylic polymer.--

--Claim 29. (new) The peelable coating composition of claim 29, wherein said thickening agent is a sodium polyacrylic polymer.--

--Claim 30. (new) The peelable coating composition of claim 23, wherein said humitant polyglycol comprises a poly glycol.--

--Claim 31. (new) The peelable coating composition of claim 30 wherein said polyglycol comprises a polypropylene glycol.--

--Claim 32. (New) A peelable coating composition, consisting essentially of:  
an aqueous polyurethane dispersion resin having an average molecular weight of between 50,000 and 5,000,000 containing at least 40 percent by weight solids contents in an effective amount of from 60 to 95 percent by weight based on the total weight percent of the composition;  
a release agent comprising a siloxane in an effective amount of up to 10 percent by weight based on the total weight percent of the composition;  
a surfactant profoamer comprising a polydimethylsiloxane in an effective amount of from between 0.1 to 10 percent by weight based on the total weight percent of the composition;  
a humitant in an effective amount of from between 0.1 and 20 percent by weight based on the total weight of the composition; and  
a thickening agent in an amount of up to 5.0 percent by weight based on the total weight of the composition.--

--Claim 33 (new) The peelable coating composition of claim 32, wherein said siloxane is a copolymer.

--Claim 34. (New) The peelable coating composition of claim 32, wherein said siloxane is a polydimethyl-polyether-siloxane block copolymer.--

--Claim 35. (new) The peelable coating composition of claim 32, wherein said release agent is present in an amount of from 0.01 to 10.0 percent by weight based on the total weight of the composition.--

--Claim 36. (New) The peelable coating composition of claim 32, wherein said thickening agent is present in an amount of from between 0.01 to 5.0 weigh percent based on the total weight of the composition.--

--Claim 37. (new) The peelable coating composition of claim 32, wherein said thickening agent is a polyacrylic polymer.--

--Claim 38. (new) The peelable coating composition of claim 37, wherein said thickening agent is a sodium polyacrylic polymer.--

--Claim 39. (new) The peelable coating composition of claim 32, wherein said humitant comprises a poly glycol.--

--Claim 40. (new) The peelable coating composition of claim 39 wherein said polyglycol comprises a polypropylene glycol.--

--Claim 41. (New) A peelable coating composition, consisting essentially of:  
an aqueous polyurethane dispersion resin having an average molecular weight of between 50,000 and 5,000,000 containing at least 40 percent by weight solids contents in an effective amount of from 60 to 95 percent by weight based on the total weight percent of the composition;  
a release agent comprising a siloxane in an effective amount of up to 10 percent by weight based on the total weight percent of the composition;  
a surfactant profoamer comprising a polydimethylsiloxane in an effective amount of from between 0.1 to 10 percent by weight based on the total weight percent of the composition;  
a polyglycol in an effective amount of from between 0.1 and 20 percent by weight based on the total weight of the composition; and  
a thickening agent in an amount of up to 5.0 percent by weight based on the total weight of the composition.--

--Claim 42 (new) The peelable coating composition of claim 41, wherein said siloxane is a copolymer.

--Claim 43. (New) The peelable coating composition of claim 41, wherein said siloxane is a polydimethyl-polyether-siloxane block copolymer.--

--Claim 44. (new) The peelable coating composition of claim 41, wherein said release agent is present in an amount of from 0.01 to 10.0 percent by weight based on the total weight of the composition.--

--Claim 45. (New) The peelable coating composition of claim 41, wherein said thickening agent is present in an amount of from between 0.01 to 5.0 weigh percent based on the total weight of the composition.--

--Claim 46. (new) The peelable coating composition of claim 41, wherein said thickening agent is a polyacrylic polymer.--

--Claim 47. (new) The peelable coating composition of claim 46, wherein said thickening agent is a sodium polyacrylic polymer.--

--Claim 48. (new) The peelable coating composition of claim 41, wherein said polyglycol comprises a polypropylene glycol.--